

EXHIBIT “A”

5:44 5G E

Done na4.docusign.net AA

☰ This document is now complete. CLOSE

DocuSign Envelope ID: 89627811-2020-4028-8C28-6C288E2C7240

Rapid COVID Testing Clinic

SARS-CoV-2 (COVID-19) and Influenza Type A and B Detection Test

| | |
|-------------------|-----------------|
| Name | Mary K Burleson |
| DOB | 9/23/1969 |
| Confirmation Code | EB185290 |
| Date | 12/16/2020 |
| Specimen Details | |
| Date Collected | 12/16/2020 |
| Date Reported | 12/16/2020 |
| Lab Technician | CF7653 |

| TEST | RESULT |
|-------------------------------|----------------------|
| SARS-CoV-2 (COVID-19) Antigen | Positive |
| Influenza (Flu type A and B) | Flu Type A: Negative |
| | Flu Type B: Negative |

Please review all materials provided. If you have positive test results, we strongly recommend you contact anyone you have come in close contact with within five days prior to testing. You and your entire family can have access to create consults with U.S. Board Certified physicians from your home, office or on-the-go. <https://www.rapidcovidclinic.com>

The FDA has granted Emergency Use Authorization (EUA) for the manufacturer Quidel Corporation (Quidel) antigen detection tests – the Sofia SARS Antigen F10. These assays are approved for detection of the nucleocapsid protein antigen from SARS-CoV-2 in nasal and nasopharyngeal (Quidel/Sofia) Antigen F10, self-swab specimens, and authorized for use by laboratories certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA), 42 U.S.C. § 262, which meets the requirements to perform manual, moderate, or high-complexity tests. Quidel announced on July 17, 2020, that it updated the performance data for this test to 96.7% using direct-read swab specimens versus Polymerase Chain Reaction (PCR) test as a result of further studies included in its submitted EUA that were submitted to the FDA.

| | | |
|--|---|---|
| Rapid Covid-19 Testing Clinic contact@rapidcovidclinic.com | NPI Number: 1489494032 TX CLIA: 45DC188221 AZ CLIA: 05DC189900 | Phone: (713) 699-1115 Web: rapidcovidclinic.com |
| Houston 1550 Galleria Dr. Houston, TX 77055 | Kicks 3773 Southwest Frey Houston, TX 77027 | Scottsdale 6940 E. Indian School Rd Scottsdale, AZ 85251 |

SARS-CoV-2 And Flu Detection Test Results.pdf 1 of 1

DocuSign Envelope ID: 89627811-2020-4028-8C28-6C288E2C7240

FACT SHEET FOR PATIENTS
Quidel Corporation

October 2, 2020

Coronavirus
Disease 2019

< >  